Esenyurt Firuzköy Bulvarı No:29 34325 Avcılar İstanbul/ TÜRKİYE





AB-0583-T

21032128

11-21



Customer name: LTS TEKSTİL SAN VE TİC LTD ŞTİ.

Address: ATATÜRK MAH CEMAL GÜRSEL CAD NO:6/5 KIRAÇ

ESENYURT/İSTANBUL

Buyer name:

Contact Person: ALİ RIZA ALPER

Order No: 8680075437233 - 8692241001117 - 8692241021115

Article No: Art.111 / Byp 7233

Name and identity of test item: Pink baby shower cap (Pink)

The date of receipt of test item: 26.10.2021
Re-submitted/re-confirmation 28.10.2021

date:

Date of test: 28.10.2021-03.11.2021

Remarks: -

Sampling: The results given in this report belong to the received sample by vendor.

End-Use:

Care Label: Not Specified

Number of pages of the report: 7

The Turkish Accreditation Agency (TURKAK) is signatory to the multilateral agreements of the European co- The Turkish Accreditation Agency (TURKAK) is signatory to the multilateral agreements of the European co-operation for the Accreditation (EA) and of the International Laboratory Accreditation (ILAC) for the Mutual recognition of test reports.

EKOTEKS LABORATUVAR ve GÖZETİM HİZMETLERİ A.Ş. accredited by TÜRKAK under registration number [AB-0583-T] for ISO 17025:2017 as test laboratory.

The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following pages which are part of this report.

SealDate
04.11.2021Customer Representative
Zahide TAPANHead of Testing Laboratory
Sevim A. RAZAK

04.11.2021

This report shall not be reproduced other than in full except with the permission of the laboratory. *Testing reports without signature and seal are not valid*

| REQUIRED TESTS | EVALUATION | COMMENTS |
|----------------------------------|------------|----------|
| ECOLOGICAL TESTS | | |
| Total Lead | P | |
| Total Cadmium | P | |
| Phthalates | P | |
| PAH's | P | |
| Forbidden Arylamines In Dyestuff | P | |

P:Pass

F: Fail

R: Refer to retailer technologist

Test results were evaluated according to "Registration, Evaluation, Authorisation and Restriction of Chemicals" Legislation limit values dated on 23.06.2017 and No: 30105

REMARK: Original samples are kept for 3 months and all technical records are kept for 5 years unless otherwise specified. If requested, measurement uncertainty will be reported. But unless otherwise specified, measurement uncertainty is not considered while stating compliance with specification or limit values. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95 %. The declaration of conformity was given in accordance with the Simple Acceptance Decision Rule. Tests marked (*) in this report are not included in the accreditation schedule



This report shall not be reproduced other than in full except with the permission of the laboratory. *Testing reports without signature and seal are not valid.*

| AB-0583-T |
|-----------|
| 21032128 |
| 11-21 |

TEST RESULTS

| TOTAL LEAD CPSC- | CH-E1002-08.3-2012 | | |
|-----------------------------|--|---------------------|--|
| The amount of total lead is | extracted in suitable acidic solution using with microwave | | |
| tecnique and determined us | ing ICP-MS. | | |
| | | | |
| | <u>CAS NO</u> | <u>REQUIREMENT</u> | |
| Total Lead (Pb) | 7439-92-1 | < 0.05 %(500 mg/kg) | |
| RESULTS | | | |
| SAMPLE NO/PART NO: | TOTAL LEAD RESULT | EVALUATION | |
| Pink baby shower cap | N.D. ⁽¹⁾ | PASS | |

N.D (1): Not detected

| CADMIUM (Cd); EN 1122-2001 | | | | |
|--|-----------|---------------------|--|--|
| The Cadmium content in sample is separated by wet-decomposition method. Amount of cadmium is determined using ICP-MS | | | | |
| <u>CAS NO</u> <u>REQUIREMENT</u> | | | | |
| Cadmium (Cd) | 7440-43-9 | < %0.01 (100 mg/kg) | | |

| RESULTS | | | | |
|--|---------------------|------|--|--|
| SAMPLE NO/PART NO: CADMIUM(Cd) RESULT EVALUATION | | | | |
| Pink baby shower cap | N.D. ⁽¹⁾ | PASS | | |

N.D (1): Not detected

| AB-0583-T |
|-----------|
| 21032128 |
| 11-21 |

TEST RESULTS

DETERMINATION OF PHTHALATES; CPSC-CH-C1001–09.4:2018 Test sample is extracted in suitable organic solvent in extraction device. The extract is analyzed by GC-MS and result is given.

| | Cas No: | REQUIREMENT |
|-----------------------------------|----------------------------|-------------|
| DEHP/ Di-(2-ethylhexyl) phthalate | (117-81-7) | |
| DBP/ Dibutylphthalate | (84-74-2) | |
| BBP/ Butylbenzylphthalate | (85-68-7) | |
| DINP/ Di-iso-nonylphthalate | (28553-12-0)/ (68515-48-0) | |
| DIDP/ Di-isodecylphthalate | (26761-40-0)/ (68515-49-1) | |
| DNOP/ Di-n-octylphthalate | (117-84-0) | |
| | | |
| Total concentration | | < 0.1 % |

| Sample | Phthalates Result | Total | EVALUATION |
|----------------------|-------------------|--------------------------|------------|
| Pink baby shower cap | ND ^(¹) | ND ⁽¹⁾ | PASS |

ND(1): Not detected

AB-0583-T 21032128 11-21

TEST RESULTS

$\textbf{POLYCYCLIC AROMATIC HYDROCARBONS}(\textbf{PAH})\textbf{;} \ \texttt{EKOTEKS} \ 56 \ (\texttt{REF:ZEK.01.02-8})$

Test sample is extracted with suitable solution in ultrasonic bath at $60\pm2^{\circ}$ C. After clean-up he extract is analyzed using by GC-MS.

| | <u>CAS NO</u> | <u>REQUIREMENT</u> | |
|-------------------------------|---------------|------------------------|--|
| Benzo(a)anthracene (BaA) | 56-55-3 | < 0,5 mg/kg (%0,0005) | |
| Benzo(a)pyrene(BaP) | 50-32-8 | < 0,5 mg/kg (%0,00005) | |
| Benzo(b)fluoranthene(BbFA) | 205-99-2 | < 0,5 mg/kg (%0,00005) | |
| Benzo(e)pyrene (BeP) | 192-97-2 | < 0,5 mg/kg (%0,00005) | |
| Benzo(j)fluoranthene(BjFA) | 205-82-3 | < 0,5 mg/kg (%0,00005) | |
| Benzo(k)fluoranthene (BkFA) | 207-08-9 | < 0,5 mg/kg (%0,00005) | |
| Chrysene (CHR) | 218-01-9 | < 0,5 mg/kg (%0,00005) | |
| Dibenzo(a,h)anthracene(DBAhA) | 53-70-3 | < 0,5 mg/kg (%0,0005) | |

| Sample | RESULT | EVALUATION |
|----------------------|---------------------|------------|
| Pink baby shower cap | $\mathbf{ND}^{(1)}$ | Pass |

N.D (1): Not detected

AB-0583-T 21032128 11-21

TEST RESULTS

FORBIDDEN AROMATIC ARYLAMINES-MAK III GROUP A1&A2 CATEGORY

Corresponding to the Ordinance on Commodities (Bedarfsgegenständeverordnung) be in force respectively the directive 2002/61/EEC the use of certain azo colorants is banned, which can release by reductive cleavage of their azo group(s) one or more of certain listed aromatic and cancerogenic amines.

Arylamines of class MAK III A1/ A2 are determined and quantified using a Gas Chromatography / Mass Selective Detector (GC/MSD)

List of arylamines, that are not allowed to be split off from dyes under reductive conditions;

| Nr | Substances | CAS No | Index No | EC number |
|-------|---|----------|--------------|-----------|
| | MAK III A1 | | | |
| 01 | 4-Aminobiphenyl | 92-67-1 | 612-072-00-6 | 202-177-1 |
| 02 | Benzidine | 92-87-5 | 612-042-00-2 | 202-199-1 |
| 03 | 4-Chloro-o-toluidine | 95-69-2 | | 202-441-6 |
| 04 | 2-Naphthylamine (-Naphthylamine) | 91-59-8 | 612-022-00-3 | 202-080-4 |
| | MAK III A2 | | | |
| 05* | o-Aminoazotoluol (4-amino-2,3-dimethylazobenzene) | 97-56-3 | 611-006-00-3 | 202-591-2 |
| 06 | p-Chloroaniline (4-chloroaniline) | 106-47-8 | 612-137-00-9 | 203-401-0 |
| 07 | 2,4-Diaminoanisole (4-Methoxy-m-phenylenediamine) | 615-05-4 | | 210-406-1 |
| 08 | 4,4'-Diaminodiphenylmethane (4,4'-methylendianiline) | 101-77-9 | 612-051-00-1 | 202-974-4 |
| 09 | 3,3'-Dichlorbenzidine (3,3'-dichlorobiphenyl-4,4'-xylendiamine) | 91-94-1 | 612-068-00-4 | 202-109-0 |
| 10 | 3,3'-Dimethoxybenzidine (o-Dianisidine) | 119-90-4 | 612-036-00-X | 204-355-4 |
| 11 | 3,3'-Dimethylbenzidine (o-Tolidine) (4,4'-bi-o-toluidine) | 119-93-7 | 612-041-00-7 | 204-358-0 |
| 12 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane (4,4'-methylene di-o-toluidine) | 838-88-0 | 612-085-00-7 | 212-658-8 |
| 13 | 4,4'-Methylene-bis-(2-chloro-aniline) (2,2'-dichloro-4,4'-methylenedianiline) | 101-14-4 | 612-078-00-9 | 202-918-9 |
| 14* | 2-Amino-4-nitrotoluene (5-nitro-o-toluidine) | 99-55-8 | | 202-765-8 |
| 15 | 4,4'-Oxydianiline (4,4'-Diaminodiphenylether) | 101-80-4 | | 202-977-0 |
| 16 | 4,4'-Thiodianiline (4,4'-Diaminodiphenylsulfide) | 139-65-1 | | 205-370-9 |
| 17 | o-Toluidine (2-aminotoluene) | 95-53-4 | 612-091-00-X | 202-429-0 |
| 18 | 4-Methyl-1,3-phenylendiamin (4-methyl-m-phenylendiamin) (2,4-Toluenediamine) | 95-80-7 | 612-099-00-3 | 202-453-1 |
| 19 | 2,4,5-Trimethylaniline | 137-17-7 | | 205-282-0 |
| 20 | o-Anisidine (2-Methoxyaniline) | 90-04-0 | 612-035-00-4 | 201-963-1 |
| 21 | 2-Methoxy-5-methylaniline (p-Cresidine) (6-methoxy-m-toluidine) | 120-71-8 | | 204-419-1 |
| 22** | 4-Amino Azobenzene | 60-09-3 | 611-008-00-4 | 200-453-6 |
| 23*** | 2,4-Xylidine | 95-68-1 | | |
| 24*** | 2,6-Xylidine | 87-62-7 | | |

^{*} The CAS-numbers 97-56-3 (No. 5) and 99-55-8 (No. 14) are detected further reduced to CAS-numbers 95-53-4 (No. 17) and 95-80-7 (No. 18).

*** Not regulated by law

Note: In case the sample was a blend of coloured synthetic material with further coloured fibers several test methods were carried out if necessary.

^{**} Azo colorants that are able to form 4-aminoazobenzene generate, under the condition of this method, aniline (CAS-number 62-53-3) and 1,4-phenylenediamine (CAS – number 106-50-3). Due to detection limits, only aniline may be detected. If aniline is detected above 5 mg/kg, then the presence of these colorants should be tested by ISO 14362-3 (for leathers ISO 17234-2).

| AB-0583-T |
|-----------|
| 21032128 |
| 11-21 |

TEST RESULTS

| Component Name | Test Method | Forbidden Arylamines in Dyestuff Results | Conclusion |
|-------------------|-------------------------|---|------------|
| Pink baby | DIN EN ISO 14362-1:2017 | ND ^(¹) | Pass |
| shower cap | (without extraction) | | |
| Pink baby | DIN EN ISO 14362-1:2017 | ND ^(¹) | Pass |
| shower cap | (with extraction) | | |

Max. limit 30 ppm (individual).

Interpretation:

 $N.D^{(1)}$: Not detected according to the analysis as carried out, azo colourants banned under the Ordinance on Commidities were not detected in the article submitted.

LS. : Lack of sample. NA : Not applicable.

"<" = less than

0 = Test not necessary (commodity not coloured or printed)

mg/kg= milligram per kilogram ppm = part per million (mg/kg)

with extraction : Extraction method was applied. without extraction : Extraction method was not applied.

Note: If an arylamine is listed in the test table, this means; The analytical result suggest that the commodity submitted has been manufactured or treated using azo colourant(s) which can release one or more of certain listed amines by cleavage of their azo group(s).